

## PRODUCT OFFERINGS



SwiftWall began with the idea to provide a reusable, fast, and simple temporary wall and construction barrier structure. Our lightweight system is easy to install, remove, and relocate, providing professionals in the construction industry with tools that make their lives safer and more productive.



All sales shall be subject to and incorporate Signature Walls Solutions, Inc. dba SwiftWall® current Terms of Sale, which can be found at https://swiftwall.com/terms-of-sale/. Customer and end-user shall be solely responsible for installation methods and compliance with all applicable federal, state and local laws, statutes, regulations, ordinances and building codes.

# PANELS

Isolate and contain any worksite with SwiftWall Panels. Made of ABS (Class A firerated material optional) and featuring a R7 insulative value, our non-hydroscopic SwiftWall Panels also help keep the noise down with a STC21 sound rating.

Standard Panels are manufactured to a sturdy 4' wide and 1" thick, and come in heights of 4', 8', 10', 12' and 16'. Panels can be stacked as high as required by using C-Channels and a support skeleton such as metal stud framing. Consult with a SwiftWall sales representative for more information.

#### NEW! **Standard Sizes: Standard Panels Transparent Panels** 4' 16'-8' 10' 12' 12' 16' All standard sizes are manufactured to 10' 4' wide by 1" thick 8' Weight: 4': 18lbs 4' 8': 35lbs 10': 44lbs 12': 53lbs 16': 70lbs *Material:* ABS with aluminum joiners and polyisocyanurate core (Class A fire-rated material available upon request) Finish: Option 1: White lightsheen matte hair-cell ABS Option 2: Powder coated semigloss aluminum (Class A only)

**SDS:** Printed copies available upon request

The male and female joiners (patent pending) on every SwiftWall Panel ensure a secure and virtually seamless fit.

SUIFTWAL



SWIFTWALL.COM

989.279.0232

# DOORS & WINDOWS

Our selection of door and window treatments can turn any SwiftWall structure into a convenient office, conference room, or breakroom. Single and double door options are available to ensure you're getting the most out of your temporary worksites.

### SINGLE DOOR

Size: 48" wide (36" x 88" entryway size) Weight: 75lbs Material: ABS with aluminum joiners and polyisocyanurate core (Class A fire-rated material available upon request)

### Included Hardware:

- Lock
- Handle

**Finish:** Option 1: White lightsheen matte hair-cell ABS Option 2: Powder coated semigloss aluminum (*Class A only*)

DOUBLE DOOR

Size: 96" wide (93" x 88" entryway size) Weight: 150lbs Material: ABS with aluminum joiners and polyisocyanurate core (Class A fire-rated material available upon request)

### Included Hardware:

- Lock
- Handle
- Barrel Bolt

**Finish:** Option 1: White lightsheen matte hair-cell ABS Option 2: Powder coated semigloss aluminum (*Class A only*)

*WINDOWS Sizes:* 6" x 18", 3' x 3'



Three door handle styles available. Custom styles available.









SWIFTWALL.COM

989.279.0232

Sunfrault<sup>®</sup>

SWIFTWALL.COM

989.279.0232

# TRACKS & C-CHANNELS

Every SwiftWall project begins with our Track and C-Channel System. Comprised of durable powder-coated aluminum, these sturdy tracks provide a strong and rigid framework for every SwiftWall structure, and can be cut on-site to suit builds of any size.

### TRACK

**Size:** 4"x 2 <sup>3</sup>/<sub>4</sub>" x 10' - cut to length Material: Industrial extruded aluminum Finish: Powder coated white, semi-gloss

### C-CHANNEL

**Size:** 2"x 1"x 10' – cut to length (8', 12', and 16' C-Channels also available) Material: Industrial extruded aluminum Finish: Powder coated white, semi-gloss

CORNER CHANNEL Size: 3"x 3"x 10' - cut to length (8', 12', and 16' Corner Channels also available) Material: Industrial extruded aluminum Finish: Powder coated white, semi-gloss

### ADJUSTABLE CORNER

CHANNEL Size: 3"x 3"x 10' – Full Piano Hinge (8', 12', and 16' Adjustable Corner Channels also available)


Material: Industrial extruded aluminum Finish: Powder coated white, semi-gloss

















## TRACKS & CHANNELS

L-CHANNEL Size: 3" x 3" x 8', 10', 12', 16' Material: Industrial extruded aluminum Finish: Powder coated white, semi-gloss

FACEPLATE Size: 3" x 3" x 8', 10', 12', 16' Material: Industrial extruded aluminum Finish: Powder coated white, semi-gloss







### SwiftKits®

All SwiftWall products deploy rapidly and easily, but none moreso than SwiftKits. Our office and conference room kits can help mobilize your team quickly so you can focus on what you do best.

OFFICES Single Office: 8' × 8' Single Office:  $12' \times 12'$ **Double Office:**  $24' \times 12'$ **Triple Office:** 36' × 12' **Quad Office:** 48' x 12'

CONFERENCE ROOMS Standard Conference: 24' x 12' Other options available (Class A fire-rated options available upon request)

## FREE SAMPLE

Contact us today and we'll ship you two sample Panels, a section of Track, and a top C-Channel so you can see firsthand how SwiftWall makes it all come together.











SWIFTWALL.COM

989.279.0232



Trusted by these organizations and many others



























989.279.0232 SwiftWall.com